BIPV a-Si through façade

Development, evaluation and Radiance simulations



Francesco Frontini,

Wendelin Sprenger, Tilmann E. Kuhn, Helen Rose Wilson

Fraunhofer Institute for Solar Energy Systems ISE

Radiance Workshop Freiburg 2010 www.ise.fraunhofer.de

Agenda


- INTRODUCTION: Why BIPV façade
- A new Idea (Patent Fraunhofer ISE)
- First Radiance simulations
- Building energy simulation
- Absorbing layer: simulation and modelling problems
- Discussion

INTRODUCTION

Many recent researches attest that the 40% of the European energy consumption is due to the building.

- 80% of building energy consumption currently occurs during service-life.
- The energy for cooling is raising day by day.
- ■All the building, residential or commercial, have an enormous potential for improvement of the energy efficiency (Passive-House),
- ■and of energy systems integration, like pv-systems

Sold cooling systems



EU Study (EERAC) 1996



INTRODUCTION

The current use of renewable is mainly concentrated in the sector of single family house

other matter is the integration into big or tall building (façade integration)



Sun protection is necessary (f.e.venetian blinds).



- External shading, not good for high-rise buildings and windy locations.
- Control strategies
- Reduce solar gains
- Façade PV integration (NZEBs)





SOURCE: BEAR Architect, Viessmann




Angle selective façade


Consists of, at least, two laminated glass panes with two series of opaque stripes.

Three important tasks:

- ■solar protection,
- ■glare protection
- ■integrated pv-system.








Angle selective façade - Prototype

A prototype was realized in collaboration with a German Glass Industry.




Angle selective façade measurement

Angle-dependent Transmittance (Ulbricht Sphere)
Reflectance measurements (Lambda-900 spectrometer)








Radiance simulation – Visual Contact











Dynamic Daylight simulation (Daysim)

Daylight autonomy

Percentage of occupied time per year when target illuminance can be maintained by daylight alone




Dynamic Daylight simulation (Daylight autonomy)



Glare analysis (DGP)

The DGP describes the probability that a person is disturbed by daylight glare and is an empirical equation, based on the vertical illuminance at eye level and a term considering the glare sources.


Venetian blinds (slats 45°)




With venetian blinds

Disturbing glare or stronger glare occur for DGP values larger than 0.39

Design-1




Design-2



Angle selective façade – Building Simulation


Thermal analysis

Using the "new BBM" within ESP-r the impact into a standard office was assessed.



Angle selective façade – Building Simulation

Three simulations were done to compare the new static system with a glazing façade with external venetian blinds or with internal Genius $^{\text{TM}}$ blinds. $_{\text{Tonf}^{\circ}\text{Cl}}$



PV Integration

Possible Technologies:

- ■a-Si
- monocrystalline Si
- CIS
- ■CdTe






SOURCE: SCHOTT

PV Integration


To be assessed:


- Optical and physical properties of the technologies
- ■Shadow dependency
- ■Temperature dependency
- **■**Efficiency




PV Integration

- Several tools already exist to asses the solar irradiation in an urban environment (f.e. iPPF).
- ■The "problem" exists when complex facade with absorbing layers must be assessed.
- ■What happens inside a glass panel?








SOURCE: R. Compagnon



Material description: front site of the PV layer has different optical properties than the back site








Incoming irradiation (W/m²)


- Input of general BRDF and BSDF as a definition of the surface properties (instead of the refractive index)
- Input of the absorption coefficient (Beer-Lambert) as a material definition

(Aim: calculation of R and T without the input of wavelength, polarisation, complex refractive index)



Irradiation (W/m²) reaching a photovoltaic cell


- We would like to define a "area" sensor type to calculate the total incoming radiation on a surface (e.g. the cell).
- We would like to avoid the rastering with sensors.



We need the intensity <u>transmitted by</u> a certain area on the surface.

We need the angle dependency information. (no "-I" option)

Thank You Very Much for Your Attention!



Fraunhofer Institute for Solar Energy Systems ISE

Francesco Frontini

www.ise.fraunhofer.de Francesco.frontini@ise.fraunhofer.de

Dielectric (glass) material:

A participating medium that refracts, and may absorb, but does not scatter radiation. A dielectric is generally characterized by an **index of refraction** and **an absorption** or transmission coefficient. In the case of the dielectric primitive used in Radiance, an additional Hartmann constant may be used to approximate the change in the index of refraction with wavelength.

Transmission coefficient: the fraction of light that is passed per unit length. This coefficient is given as part of a dielectric primitive's arguments, and is equal to 1 minus the absorption coefficient.

Absorption: The fraction of light absorbed per unit distance in a participating medium.

(http://radsite.lbl.gov/radiance/book/glossary.html)