

Effect of Test Patch Location on Color Appearance, in the Context of 3D Objects


Bei Xiao and David H.Brainard University of Pennsylvania














Questions


How do people perceive the color of different parts of an object?


How do material properties of the object affect color perception?






















Rendering Methods


Images are rendered wavelength by wavelength using customized Matlab software (RenderToolbox). The underlying renderer is Radiance.


RenderToolbox is available at www.rendertoolbox.org.





















Preliminary Conclusions


Changing test patch location of an object has a small effect on color perception of the patch.

This is not predicted by the average of the light reflected from the patch.


Effect of surface material properties on color perception of the patch is also small.











Xiao, B. and Brainard, D.H. (under review) Visual Neuroscience




























MII Histograms





Corrected mean: Purple = 0.17

Yellow-green = 0.13

Conclusions

We're interested in the color appearance of 3D objects in rich scenes.

Effect of location is small in comparison with the mean prediction. This suggests color appearance is stable across different parts of an object.

Surface gloss has a small effect on color perception of the test patch on 3D objects when the diffuse component is constant.

Matches are not predicted by the average of the light reflected across the image of the object.



Acknowledgement

Prof. David H. Brainard

Dan Lichtman

Ah Rim Shin

Lu Yin

Dr. Sarah Allred

Dr. Robyn Oliver

Chris Broussard

Prof. James Hillis





Implications For Models

Image-statistics: Use image mean, skewness, percentiles to estimate diffuse reflectance (body color).

Inverse-optics: estimating geometry of the light source and use the estimated geometry to infer diffuse reflectance.







Results: Pictorial Representation

Test Up

Test Bottom



